

Name Cody Turner Date _____ Truck / City OCRC / Huntington Beach Event JBRL

Front Suspension:

4.8mm Ball Stud:
 UM128 (Std)
 UMW508 (+2mm High Mount)

Upper Spacer: 1 mm

Shock Mount:
 IN
 OUT

4.8mm Ball Stud:
 LA246 (-1mm Low Mount)
 UM129 (Std)

Ackerman Steer Spacer: 1 mm

Bump Steer Spacer: 0 mm

Upper Spacer: 1 mm

Toe: In Out 0 °

Sus Mount:
 UM503
 UM567
 UM721

Caster Spacer:
 25° 0.5
 30° None

Upper Spacer: 1 mm

Axle Spacer:
 Out _____ mm
 0 °

Axle Height Spacer:
 Up .5
 Down 1

Caster Block:
 IN (wide/Std)
 OUT (Narrow)

Wheelbase: Long Middle Short

Comments: _____

Rear Suspension:

Sus Holder Spacer:
 F 0.5 1.0 None
 R 0.5 1.0 None

Anti-Squat: _____ °

Sway Bar: None _____ mm

Upper Spacer: 0 mm

Wheelbase:
 F: 3 mm
 R: 3 mm

Upper Spacer: 1 mm

MM:

UM788 UM706

Lower Sus Holder:
 Normal Aluminum(Opt)
 RF RF2 Front C in Rear B in

Upper Spacer: 1 mm

Comments: _____

Drive:
 Rear Motor
 Midship Motor

Diff:
 Gear Diff. # _____
 Ball Diff. _____

Shock:

Shock Piston:	<u>Stock</u>	<u>Stock</u>
Shock Oil:	# <u>37.5</u>	# <u>32.5</u> L
Shock Spring:	<u>Orange</u>	<u>Red</u>
Limiters:	in _____ mm out _____ mm	in _____ mm out _____ mm
Shock Length(A):	<u>26.5</u> mm	<u>38</u> mm
Shock Top Type:	<input checked="" type="checkbox"/> Nomal	<input type="checkbox"/> Alu(UM719)
5.8mm Ball End:	Front: <input checked="" type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L	Rear: <input checked="" type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L

Chassis:

Weight Placement:
 Servo / Receiver / ESC / Batteries

F 30 mm Ride Height: R 28 mm

Tire:
 Front PL Ion MC Rear PL Ion MC
 Inserts: PL Blue PL Blue
 Wheel: PL Renegade Slash R
 Traction Compound: _____

Battery Placement:

Front Rear

Electronics:

Motor: Team Orion VST2 7.5

Pinion/Spur: 18/80

Battery: Team Orion Saddle

ESC: _____

Radio: _____

Servo: _____

Throttle/Brake: _____

EPA: _____ Expo: _____

Initial brake: _____

Drag brake: _____

Throttle profile: _____

Steering expo: _____

Steering speed: _____

Body:

PL Flotek

Material:

Screw: Steel Titanium

Servo Hone: Nomal Rigid(UM717)

Pinion Gear: Steel Aluminium

Shock Ring: O-ring X-ring Red Clear

Comment : Battery all the way back.
Saddle pack (batteries side to side)